Tulane Otolaryngology Levels of Care

| Procedure/Skill | Level of Care | Supervision | Milestone | Milestone Level | Competency |
|---------------------------------------|---------------|-------------|---|-----------------|------------|
| Central Line/Art Line | PGY 1 | Direct | Facial Trauma | 1 | 1,2,4,6 |
| Administer Local Anesthesia | PGY 1 | Direct | Facial Trauma | 1 | 1,2,4,6 |
| Bag Mask Ventilation | PGY 1 | Direct | Aerodigestive Tract | 1 | 1,2,4,6 |
| Tracheal Intubation | PGY 1 | Direct | Aerodigestive Tract | 1 | 1,2,4,6 |
| Wound Laceration Repair | PGY 1 | Direct | Facial Trauma | 1 | 1,2,4,6 |
| FNA | PGY 1 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 1 | 1,2,4,6 |
| Biopsy Skin Lesion | PGY 1 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 1 | 1,2,4,6 |
| Obtain Skin Graft | PGY 1 | Direct | Facial Trauma | 1 | 1,2,4,6 |
| Draw Arterial Blood Gases | PGY 1 | Direct | Facial Trauma | 1 | 1,2,4,6 |
| Flexible Laryngoscopy | PGY 1 | Direct | Aerodigestive Tract | 1 | 1,2,4,6 |
| Nasal Endoscopy | PGY 1 | Direct | Inhalant Allergy | 1 | 1,2,4,6 |
| Incision and Drainage of Abscess | PGY 1 | Direct | Aerodigestive Tract | 1 | 1,2,4,6 |
| Placement of NG tube | PGY 1 | InDirect | Dysphagia-Dysphonia | 1 | 2 |
| IV placement | PGY 1 | InDirect | Facial Trauma | 1 | 2 |
| Foley Placement | PGY 1 | InDirect | Facial Trauma | 1 | 2 |
| Microotoscopy | PGY 2 | Direct | Chronic Ear | 2 | 1,2,4,6 |
| Nasal Packing | PGY 2 | Direct | Rhinosinusitis | 2 | 1,2,4,6 |
| Pneumatic Otoscopy | PGY 2 | Direct | Chronic Ear | 2 | 1,2,4,6 |
| Cerumen Removal | PGY 2 | Direct | Hearing Loss | 2 | 1,2,4,6 |
| Electrocautery | PGY 2 | Direct | Rhinosinusitis | 2 | 1,2,4,6 |
| Tonsillectomy and Adenoidectomy | PGY 2 | Direct | Sleep Disordered Breathing | 2 | 1,2,4,6 |
| Myringotomy with tube placement | PGY 2 | Direct | Pediatric Otitis Media | 2 | 1,2,4,6 |
| Skin lesion excision | PGY 2 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 2 | 1,2,4,6 |
| Panendoscopy with Biopsy | PGY 2 | Direct | Aerodigestive Tract | 2 | 1,2,4,6 |
| Tracheotomy | PGY 2 | Direct | Aerodigestive Tract | 2 | 1,2,4,6 |
| Assist in tympanoplasty/mastoidectomy | PGY2 | Direct | Chronic Ear | 2 | 1,2,4,6 |
| All Procedure list in PGY1 level | PGY2 | Indirect | | 2 | 1,2,4,6 |
| Septoplasty | PGY 3 | Direct | Nasal Deformity | 2 to 3 | 1,2,4,6 |
| Endoscopic sinus procedures simple | PGY 3 | Direct | Rhinosinusitis | 2 to 3 | 1,2,4,6 |

Tulane Otolaryngology Levels of Care

| Endoscopic Eval and intubation in infants | | | | | |
|--|-------|----------|---|--------|---------|
| and Adults with Stidor | PGY 3 | Direct | Aerodigestive Tract | 2 to 3 | 1,2,4,6 |
| Endoscopic eval on patients with Caustic | | | | | |
| ingestion | PGY 3 | Direct | Aerodigestive Tract | 2 to 3 | 1,2,4,6 |
| Endoscopic removal of | | | | | |
| esophageal/Tracheal/laryngeal foreign body | PGY 3 | Direct | Dysphagia-Dysphonia | 2 to 3 | 1,2,4,6 |
| Esophageal dilation | PGY 3 | Direct | Dysphagia-Dysphonia | 2 to 3 | 1,2,4,6 |
| Tracheotomy in children | PGY 3 | Direct | Aerodigestive Tract | 2 to 3 | 1,2,4,6 |
| Nasal fracture reductions | PGY 3 | Direct | Facial Trauma | 2 to 3 | 1,2,4,6 |
| Open reduction of frontal sinus fractures | PGY 3 | Direct | Facial Trauma | 2 to 3 | 1,2,4,6 |
| External sinus approaches | PGY 3 | Direct | Rhinosinusitis | 2 to 3 | 1,2,4,6 |
| Adjacent Tissue rearrangements | PGY 3 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 2 to 3 | 1,2,4,6 |
| Repair of simple mandible fractures | PGY 3 | Direct | Facial Trauma | 2 to 3 | 1,2,4,6 |
| Repair Complex facial fractures | PGY 3 | Direct | Facial Trauma | 2 to 3 | 1,2,4,6 |
| Scar Revision | PGY 3 | Direct | Facial Trauma | 2 to 3 | 1,2,4,6 |
| Submandibular gland excision | PGY 3 | Direct | Salivary Disease | 2 to 3 | 1,2,4,6 |
| All procedures list in PGY 2 | PGY 3 | Indirect | | 2 to 3 | 1,2,4,6 |
| Endoscopic sinus surgery, DCR | PGY4 | Direct | Rhinosinusitis | 3 | 1,2,4,6 |
| Rhinoplasty | PGY4 | Direct | Nasal Deformity | 3 | 1,2,4,6 |
| Maxillectomy | PGY4 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 3 | 1,2,4,6 |
| Lateral Rhinotomy | PGY4 | Direct | Nasal Deformity | 3 | 1,2,4,6 |
| Frontal Sinus obilteration | PGY4 | Direct | Facial Trauma | 3 | 1,2,4,6 |
| Tympanoplasty, OCR | PGY4 | Direct | Hearing Loss | 3 | 1,2,4,6 |
| Tympanomastoidectomy | PGY4 | Direct | Chronic Ear | 3 | 1,2,4,6 |
| Blepharoplasty | PGY4 | Direct | Patient Care | 3 | 1,2,4,6 |
| Facial rhytidectomy | PGY4 | Direct | Patient Care | 3 | 1,2,4,6 |
| Complex repair of mandible fractures | PGY4 | Direct | Facial Trauma | 3 | 1,2,4,6 |
| Correct ear deformities | PGY4 | Direct | Patient Care | 3 | 1,2,4,6 |
| Laryngectomy | PGY4 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 3 | 1,2,4,6 |
| Major Head and neck | 2011 | | | | 1010 |
| resection/reconstruction | PGY4 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 3 | 1,2,4,6 |

Tulane Otolaryngology Levels of Care

| Parotidectomy | PGY4 | Direct | Salivary Disease | 3 | 1,2,4,6 |
|---|------|----------|---|---|---------|
| All procedures listed in PGY 3 | PGY4 | Indirect | | 3 | 1,2,4,6 |
| Facial Nerve Decompression, Temporal bone resection | PGY5 | Direct | Upper Aerodigestive Tract (UADT) Malignancy | 4 | 1,2,4,6 |
| Procedures for Meniere's disease | PGY5 | Direct | Hearing Loss | 4 | 1,2,4,6 |
| Revision Blepharoplasty | PGY5 | Direct | Patient Care | 4 | 1,2,4,6 |
| Brow lift | PGY5 | Direct | Patient Care | 4 | 1,2,4,6 |
| Chemical peels | PGY5 | Direct | Patient Care | 4 | 1,2,4,6 |
| Reconstruction of congenital ear deformities | PGY5 | Direct | Patient Care | 4 | 1,2,4,6 |
| Revision Rhinoplasty | PGY5 | Direct | Nasal Deformity | 4 | 1,2,4,6 |
| Complex nasal reconstruction | PGY5 | Direct | Nasal Deformity | 4 | 1,2,4,6 |
| All procedures listed in PGY4 | PGY5 | Indirect | | 4 | 1,2,4,6 |

KEY

* Supervision

Direct-the supervising physician is physically present with the resident and patient.

*A faculty physician, other than another resident, is physically present during the key portions of the procedure or is immediately available.

Indirect-the supervising physician is physically within the hospital or other site of patient care and is immediately available to provide direct supervision.

Oversight- the supervising physician is available to provide review of procedures/encounters with feedback after care is provided.

**Core Competencies

- 1. Patient Care (PC)
- 2. Medical Knowledge (MK)
- 3. Practice-Based Learning & Improvement (PBL)
- 4. Systems-Based Practice (SBP)
- 5. Interpersonal & Communication Skills (IC)
- 6. Professionalism (P)